



ROSSO

**IMBALLI E PESI. PACKAGING AND WEIGHTS. VERPACKUNGEN UND GEWICHTE. EMBALLAGES ET POIDS.**

	pcs/box	mz/box	kg/box	box/pallet	mz/pallet	kg/pallet	≡ mm
60x60	3	1,100	22,5	40	44,000	900	9,5
30x60	7	1,280	25,4	40	51,200	1016	9,5
30x30	14	1,276	22,3	48	61,248	1070	9,5
15x30	17	0,768	15,2	90	69,120	1368	9,5
15x15	34	0,768	15,2	90	69,120	1368	9,5
6x25	34	0,510	10,2	99	50,490	1010	9,5
60x60	2	0,720	30,7	32	23,040	982	20



DOWNLOAD CATALOGUE



# MATERIA

**FORMATI. SIZES. FORMATE. FORMATS.**

**GRES A IMPASTO COLORATO. FULL BODY COLOUR**

≙ 9,5 mm  
**cm 60x60** / inch 23<sup>5/8</sup>x23<sup>5/8</sup>

≙ 9,5 mm **BRICK**  
**cm 6x25** / inch 2<sup>3/8</sup>x9<sup>13/16</sup>

≙ 9,5 mm **ANTISLIP**  
**cm 30x30** / inch 11<sup>13/16</sup>x11<sup>13/16</sup>

≙ 9,5 mm  
**cm 30x60** / inch 11<sup>13/16</sup>x23<sup>5/8</sup>

≙ 9,5 mm  
**cm 30x30** / inch 11<sup>13/16</sup>x11<sup>13/16</sup>

≙ 9,5 mm  
**cm 15x30** / inch 5<sup>7/8</sup>x11<sup>13/16</sup>

≙ 9,5 mm  
**cm 15x15** / inch 5<sup>7/8</sup>x5<sup>7/8</sup>

≙ 20 mm  
**cm 60x60** / inch 23<sup>5/8</sup>x23<sup>5/8</sup>



TECHNICAL	DIN 51130	DIN 51097	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	Recommended Use	Resistance to Staining	ANSI A 137.1
<b>NATURAL</b>	R9	A	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 175 mm <sup>3</sup>	≥ 5	4	5	
<b>ANTISLIP</b>	R11	A+B	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 175 mm <sup>3</sup>	≥ 7	5	5	
<b>20 MM</b>	R11	A+B+C	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 130 mm <sup>3</sup>	≥ 8	5	5	



NATURAL



20 MM

DOWNLOAD TECHNICAL FEATURES



ANTISLIP

**DECORI. DECORATIONS. DEKORE. DÉCORS.**

**Mosaico 5x5**  
 30x30 - 11<sup>13/16</sup>x11<sup>13/16</sup>

**Provenzale**  
 30,5x28 - 12"x11"

**Decoro Vietri Mix**  
 30x30 - 11<sup>13/16</sup>x11<sup>13/16</sup>

**Decoro Vietri Mix**  
 15x15 - 5<sup>7/8</sup>x5<sup>7/8</sup>


**Tozz. Vietri Mix**  
 5x5 - 2"x2"

**Dec. Patch Mix Warm**  
 30x30 - 11<sup>13/16</sup>x11<sup>13/16</sup>

**Dec. Patch Mix Cold**  
 30x30 - 11<sup>13/16</sup>x11<sup>13/16</sup>

**Decoro Floralis Mix**  
 30x30 - 11<sup>13/16</sup>x11<sup>13/16</sup>

**PEZZI SPECIALI. TRIMS. FORMTEILE. PIÈCES SPÉCIALES.**



20 MM



▲ CHIARO



▲ GHIACCIO

GRIGIO ▼



BLUE ▼



ROSATO ▼



# MATERIA

FORMATI. SIZES. FORMATE. FORMATS.

COLORI. COLORS. FARBEN. COULEURS.

# MATERIA

CHIARO



ROSATO



ROSSO



MUD



GHIACCIO















GRIGIO



BLUE



	 60x60 Naturale	 30x60 Naturale	 30x30 Naturale	 15x30 Naturale	 15x15 Naturale	 6x25 Brick	 Battiscopa 5,5x30	 Brick Angolo 6x22	 Scalino Mono. 30x33,3	 Angolo Mono. 33,3x33,3	 Gradino Inciso 30x30	 30x30 ANTISLIP
COLOR	03   1030	07   1020	14   1015	17   1025	34   1030	34   1060	25   150	10   240	06   540	04   540	06   410	14   1015
<b>GHIACCIO</b>	-	-	MAT 030N	MAT 015N	MAT 010N	MAT 062N	MAT B00K	MAT A06K	MAT G00K	MAT G01K	MAT G03K	-
<b>GRIGIO</b>	-	-	MAT 130N	MAT 115N	MAT 110N	MAT 162N	MAT B10K	MAT A16K	MAT G10K	MAT G11K	MAT G13K	MAT 13AS
<b>BLUE</b>	-	-	MAT 230N	MAT 215N	MAT 210N	MAT 262N	MAT B20K	MAT A26K	MAT G20K	MAT G21K	MAT G23K	-
<b>ROSATO</b>	MAT 560N	MAT 055N	MAT 530N	MAT 515N	MAT 510N	MAT 562N	MAT B50K	MAT A56K	MAT G50K	MAT G51K	MAT G53K	MAT 53AS
<b>ROSSO</b>	MAT 660N	MAT 066N	MAT 630N	MAT 615N	MAT 610N	MAT 662N	MAT B60K	MAT A66K	MAT G60K	MAT G61K	MAT G63K	MAT 63AS
<b>CHIARO</b>	MAT 860N	MAT 088N	MAT 830N	MAT 815N	MAT 810N	MAT 862N	MAT B80K	MAT A86K	MAT G80K	MAT G81K	MAT G83K	MAT 83AS
<b>MUD</b>	-	-	MAT 930N	MAT 915N	MAT 910N	MAT 962N	MAT B90K	MAT A96K	MAT G90K	MAT G91K	MAT G93K	-

ROSATO / ROSSO



20 MM



20 MM

CHIARO / GRIGIO



20 MM



20 MM



ROSATO










**PEZZI SPECIALI ON DEMAND 20MM\*** Special coordinated pieces. Zusammenstellbare Formteile. Pièces spéciales coordonnées.

\* 6 SETTIMANE DI CONSEGNA / DELIVERY WEEKS / SECHS WOCHEN LIEFERZEIT / SEMAINES DE LIVRAISON

COLOR	20 MM Rettificato 60x60 02   1110	Toro Gradino Rettificato 30x60 02   518	Toro Angolo Interno 60x60 02   678	Gradino Elle 30x60x6,5 02   652	Angolo Elle 30x30x6,5 02   652	Bordo Rett. Antiderapant 30x60 02   560	Bordo Angolo SX/DX Rettificato 30x60 1-1   650	Griglia Rettificata 15x60 02   520	Griglia Angolo SX/DX Rettificata 15x60 1-1   540
<b>ROSATO</b>	MAT 56RT	MAT G53R	MAT G50R	MAT G58R	MAT G59R	MAT W51R	MAT W52R	MAT W55R	MAT W56R
<b>ROSSO</b>	MAT 66RT	MAT G63R	MAT G60R	MAT G68R	MAT G69R	MAT W61R	MAT W62R	MAT W65R	MAT W66R
<b>CHIARO</b>	MAT 86RT	MAT G83R	MAT G80R	MAT G88R	MAT G89R	MAT W81R	MAT W82R	MAT W85R	MAT W86R
<b>GRIGIO</b>	MAT 16RT	MAT G13R	MAT G10R	MAT G18R	MAT G19R	MAT W11R	MAT W12R	MAT W15R	MAT W16R

OUT WALK	Bending Strength EN 13396 ≥ U11 (for square slabs)	Water Absorption ≤ 0,03%	DIN 51130 R11	DIN 51097 A+B+C	BS 7976 Pendulum Tester Average Values wet ≥ 50 dry ≥ 55	MOHS ≥ 8	Modulus of Rupture ≥ 50 N/mm <sup>2</sup>	Breaking Strength (for square slabs) ≥ 12.000 N	Compressive Strength ≥ 200 N/mm <sup>2</sup>
TECHNICAL DATA 20 MM	Resistance to household chemicals and swimming pool salts	Frost Resistance	Thermal Shock	Color Resistance UV Light	Reaction to Fire	≥ 500 kg/cm <sup>2</sup>	≥ 1.200 kg	≥ 2.000 kg/cm <sup>2</sup>	
5	A	Complies	Resistant	Resistant	A1FL	≥ 7,500 psi	≥ 2,700 lbs	≥ 29,000 psi	

# MATERIA



# MOSAICS & DECORS



	Mos. 5x5 30x30	Provenzale 30,5x28	Dec. Patch Mix Warm 30x30	Dec. Patch Mix Cold 30x30	Decoro Floralis Mix 30x30	Decoro Vietri Mix 30x30	Decoro Vietri Mix 15x15	Tozzetto Vietri Mix 5x5
COLOR	<b>10</b> <b>3115</b>	<b>05</b> <b>3115</b>	<b>14</b> <b>3020</b>	<b>14</b> <b>3020</b>	<b>14</b> <b>3015 m<sup>2</sup></b>	<b>04</b> <b>350</b>	<b>04</b> <b>250</b>	<b>06</b> <b>170</b>
<b>CHIARO</b>	MAT 885K	MAT 887K	MAT D64N	-	MAT D84K	MAT D30K	MAT D35K	MAT D36K
<b>ROSATO</b>	MAT 555K	MAT 557K						
<b>ROSSO</b>	MAT 665K	MAT 667K						
<b>MUD</b>	MAT 995K	-	-	MAT D94N	-			
<b>GRIGIO</b>	MAT 115K	-						
<b>GHIACCIO</b>	MAT 005K	-						
<b>BLUE</b>	MAT 225K	-						